

Alaska Department of Natural Resources (1984). Bristol Bay Area Plan Mineral Order No. 393 Closing Lands to Mineral Entry. ADNR. Juneau: 23.

Anderson, E. D., R. G. Eppinger, et al. (2009). Using regional geochemistry, geology, aeromagnetics, Landsat and digital elevation models (DEM) to define favourable areas for porphyry-style mineralization in southwestern Alaska. International Applied Geochemistry Symposium, Fredericton, New Brunswick, Canada.

Blight, G. (2010). Geotechnical Engineering for Mine Waste Storage Facilities. Boca Raton, London, New York, Leiden, CRC Press.

Branson, J. B. (1999). Bristol Bay, Alaska: From the Hinterlands to Tidewater, A grassroots Pictorial, 1885 - 1965. Lake Clark National Park and Preserve, Alaska Natural History Association.

Brett Resources Inc. (2011). "Sleitat Mountain." Retrieved July 8 2011, from <http://www.brettresources.com/s/NewsReleases.asp?numCols=1&page=1>.

Bureau of Land Management (2008). Bay: Record of Decision and Approved Management Plan. Alaska Field Office. Anchorage.

Bussiere, B. (2007). "Colloquium 2004: Hydrogeotechnical properties of hard rock tailings from metal mines and emerging geoenvironmental disposal approaches." Canadian Geotechnical Journal **44**: 1019-1052.

Caldwell, J. and L. Charlebois (2010). Tailings impoundment failures, black swans, incident avoidance and checklists. Tailings and Mine Waste '10, Vail, Colorado, CRC Press.

Cappiello, T. and J. E. Dye (2006). Survey of the Chinook Salmon Sport Fishery in the Lower Nushagak River, Alaska 2001. A. D. o. F. a. Game. Dillingham.

Chambers, D. M. and B. Higman (2011). Long Term Risk of Tailings Dam Failure: 34.

East, D. R. (2000). "Tailings Dam Failures - Why do they continue to occur?" Mining Engineering **December 2000**: 57-60.

Ecology and Environment Inc (2010). An Assessment of Ecological Risk to Wild Salmon Systems from Large-scale Mining in the Nushagak and Kvichak Watersheds of the Bristol Bay Basin, The Nature Conservancy.

Eppinger, R. G., P. H. Briggs, et al. (2000). Environmental Geochemical Studies of Selected Mineral Deposits in Wrangell-St. Elias National Park and Preserve, Alaska. Denver, Colorado, United States Geological Survey: 41.

Farrell, A. P., S. G. Hinch, et al. (2008). "Pacific Salmon in Hot Water: Applying Aerobic

Scope Models and Biotelemetry to Predict the Success of Spawning Migrations." Physiological Biochemical Zoology **81**(6): 697-708.

Hilborn, R., T. P. Quinn, et al. (2003). "Biocomplexity and fisheries sustainability." Proceedings of the National Academy of Sciences **100**(11): 6564-6568.

International Council on Mining and Metals (2010). Good Practice Guidance for Mining and Biodiversity. I. C. o. M. a. Metals. London, United Kingdom: 142.

International Council on Mining and Metals (2011). Good Practice Guide Indigenous Peoples and Mining. London, England, International Council on Mining and Metals.

Jantzer, I. and S. Knutsson (2010). Critical gradients for tailings dam design. Mine Closure 2010, Vina del Mar, Chile, Australian Centre for Geomechanics.

John, D. A., R. A. Ayuso, et al. (2010). Porphyry Copper Model, Chapter B of Mineral Deposit Models for Resource Assessment. U. S. G. Survey. Reston, Virginia.

Johnson, D. B. and K. B. Hallberg (2004). "Acid Mine Drainage Remediation Options: A Review." Science of the Total Environment **338**(2005): 3-14.

Ketchum, R. G. and B. Hampton (2001). Rivers of Life: Southwest Alaska, The Last Great Salmon Fishery. New York, Aperture Foundation, Inc.,.

King, R. S. and M. E. Baker (2010). "Considerations for analyzing ecological community thresholds in response to anthropogenic environmental gradients." Journal of the North American Benthological Society **29**(3): 998-1008.

Laurence, D. (2011). "Establishing a sustainable mining operation:an overview." Journal of Cleaner Production **19**(2011): 278-284.

Leir, M. (2007). Geohazard Integrity Management Program for Operating Pipelines. Vancouver, Canada, BGC Engineering Inc.: 11.

Liberty Star Uranium and Metals Corp. (2011). "Bonanza Hills." Retrieved July 8 2011, from <http://www.libertystaruranium.com/www/projects/bonanza-hills-project>.

Maest, A. S., J. R. Kuipers, et al. (2005). Predicting Water Quality at Hardrock Mines. Boulder, Colorado, Kuipers and Associates and Buka Environmental: 77.

Miller, K. M., S. Li, et al. (2011). "Genomic Signatures Predict Migration and Spawning Failure in Wild Canadian Salmon." Science **331**: 214-217.

Millrock Resources, I. (2007). "Bonanza Hills." Retrieved July 8, 2011, from http://www.millrockresources.com/news/millrock_reports_property_acquisitions_in_the_historic_bonanza_hills_mining/.

Millrock Resources, I. (2011). "Humble Project." Retrieved July 7, 2011, from <http://www.millrockresources.com/projects/humble/>.

Minerals Management Service (2007). Literature and Information Related to the Natural Resources of the North Aleutian Basin of Alaska. MMS. Argonne, Illinois: 143.

Mining Environment Neutral Drainage (2010). Evaluation of the Water Quality Benefits from Encapsulation of Acid-Generating Tailings by Acid-Consuming Tailings: 77.

Morgenstern, N. R. (2010). Improving the safety of mine waste impoundments. Tailings and Mine Waste '10. Vail, Colorado, CRC Press: 471.

Nushagak-Mulchatna Watershed Council (2007). Nushagak River Watershed Traditional Use Conservation Plan. Dillingham, Alaska: 60.

Nushagak-Mulchatna Watershed Council (2011). Standards and practices for environmentally responsible mining in the Nushagak River Watershed. Nushagak-Mulchatna Watershed Council. Dillingham, Alaska: 7.

Pebble Limited Partnership (2011). "Pebble Deposit." Retrieved July 8, 2011, from <http://www.pebblepartnership.com/project>.

Pebble Project Backgrounder: Assessing and managing seismic risk.

Pebble Project Backgrounder: Tailings and tailings management.

Psarropoulos, P. N. and Y. Tsompanakis (2008). "Stability of tailings dams under static and seismic loading." Canadian Geotechnical Journal **45**: 663-675.

Rains, M. C. (2011). "Water sources and hydrodynamics of closed-basin depressions, Cook Inlet Region, Alaska." Wetlands **31**: 377-387.

Schindler, D. E., R. Hilborn, et al. (2010). "Population diversity and the portfolio effect in an exploited species." Nature **465**(3 June 2010): 609 - 612.

Schmidt, J. M., T. D. Light, et al. (2007). Undiscovered Locatable Mineral Resources in the Bay Resource Management Plan Area, Southwestern Alaska: A Probabilistic Assessment USGS. **Scientific Investigations 2007-5039**: 58.

Schtickzelle, N. and T. P. Quinn (2007). "A metapopulation perspective for salmon and other anadromous fish." Fish and Fisheries **8**: 297-314.

Schwartz, J. (2011). "The Limits of Safegaurds and Human Foresight." New York Times.

Sutton, M. W., I. M. Weiersbye, et al. (2006). A GIS-Based History of Gold Mine

Residue Deposits and Risk Assessment of Post-Mining Land-Uses on the Witwatersrand Basin, South Africa. Mine Closure 2006. A. Fourie and M. Tibbett. Perth, Australia, Australian Centre of Geomechanics: 667-678.

The Nature Conservancy (2010). An Assessment of Ecological Risk to Wild Salmon Systems for Large-scale Mining in the Nushagak and Kvichak Watersheds of the Bristol Bay Basin: 210.

Tierney, K. B., D. H. Baldwin, et al. (2010). "Olfactory toxicity in fishes." Aquatic Toxicology **96**(2010): 2-26.

TNR Gold Corp (2011). "Shotgun Hills Project." Retrieved July 7, 2011, from <http://www.tnrgoldcorp.com/s/Shotgun.asp>.

Todd, J. W. (1997). Environmentally Responsible Mining: Results and Thoughts Regarding A Survey Of North American Metalliferous Mineral Mines. Environmentally Responsible Mining: the Technology, the People, the Commitment. Milwaukee, Wisconsin, Info-Mine.

U.S. Environmental Protection Agency (1995). Subaqueous Disposal of Mine Tailings: A Literature Review. Washington, D.C., United States Environmental Protection Agency: 103.

U.S. Environmental Protection Agency (1998). Guidelines for Ecological Risk Assessment. Washington, D.C., United States Environmental Protection Agency. **EPA/630/R-95/002F**.

U.S. Environmental Protection Agency (2007). Application of watershed ecological risk assessment methods to watershed management. N. C. f. E. Assessment. Washington, D.C., United States Environmental Protection Agency. **EPA/600/R-06/037F**: 76.

U.S. Fish and Wildlife Service (2008). Acid Mine Drainage and Effects on Fish Health and Ecology: A Review. Conservation Planning and Assistance Branch. Anchorage, Alaska: 24.

Wong, W. (2002). How did that happen? - Engineering safety and reliability. London and Bury St Edmunds, UK, Professional Engineering Publishing Limited.

Woody, C. A. and S. L. O'Neal (2010). Fish Surveys in Headwater Streams of the Nushagak and Kvichak River Drainages, Bristol Bay, Alaska, 2008 - 2010, The Nature Conservancy: 48.